Combination Implement Frames

Performance you can rely on

Versatile maintenance equipment trusted by professional groundsmen for a variety of applications.

Ideal for:

Football, Hockey, Rugby | Cricket | Golf | Local Authority & Contractors



IMPLEMENT MOUNTED FRAMES

Single pass maintenance system which accepts a variety of implements for use on both turf and hard porous surfaces. Up to four operations can be carried out simultaneously with this simple and versatile system.



Singleplay frame suitable for 1 implement

MODEL: SINGLEPLAY COMPLETE FRAME

Code: **FS0870**



Tri-play frame suitable for 3 implements

MODEL: TRI-PLAY COMPLETE FRAME

Code: **FS1236**

FULL SPECIFICATION AVAILABLE ON www.sisis.com

All implements are fully interchangeable and independently adjustable to give the desired effect and can be raised out of use when not required.

Connects to any tractor with 3 point linkage and utility trucks with suitable frame.



Twinplay frame suitable for 2 implements

MODEL: TWINPLAY COMPLETE FRAME

Code: **FS1237**



Quadraplay frame suitable for 4 implements

MODEL: QUADRAPLAY COMPLETE FRAME

Code: **FS0758**

TOWED IMPLEMENT FRAMES

Ideal for towing behind small compact tractors when hydraulic lift is not available. The system can use implements singly or in pairs by using the optional extension arms.



TOWED SINGLE IMPLEMENT FRAME – MANUAL LIFT

Code: **FS1118**

TOWED SINGLE IMPLEMENT FRAME – ELECTRIC LIFT

Code: **FS1238**

TWIN IMPLEMENT EXTENSION ARMS

Code: **FS1123**

For details of implements go to page 28

FULL SPECIFICATION AVAILABLE ON www.sisis.com

Towed implement frame with extension arms suitable for 2 implements

Easy to Attach Combination Implements

IMPLEMENTS	1.2m	1.8m	2.4m	
Deep Slitter	FS1162	n/a	n/a	
Relieves compaction helping to assist in the absorption of water, air and				
nutrients into the root zone with minimal surface disturbance. Ideal for pre-				
season and end of season maintenance (for towed implement frame only).	5005.64			
Spiker Slitter	FS0561	FS0764	FS0774	10112
Fast method of surface aeration allowing air and water to percolate into the root zone. Ideal for use during the playing season and before fertilizer				11 7 6 9 9
applications and irrigation.				639
Rolaspike	FS1271	FS1169	FS1267	- 1000
Ideal for surface aeration during the playing season allowing water and air				
into the root zone and integrating fertilizer into the surface. Also useful as				a setti
part of an overseeding programme.				2. 11/1/11/11
Straight Brush	FS0865B	FS0765B	FS0775B	
Used for standing grasses up, removing excess dew, enhancing				
presentation and brushing in dressings. Ideal on natural grass and				HAND MALEN
hard porous areas. *See note below table	,	FCOCCO	FC05465	VI Comments
Zig Zag Brush	n/a	FS0869B	FS0516B	-
Angled brush sections increase the brushing intensity. Ideal for removing dew, standing grasses up, working in top dressing and improving				· / (1)
presentation. Ideal on natural grass and hard porous areas.				THE REAL PROPERTY.
*See note below table				WHITE THE PARTY
Flexicomb	FS1163	FS1134	FS1277	XIII
Ideal for standing up grasses and grooming, the easily adjusted crossbar	1.3m wide	F31134	F312//	signs flat
increases or decreases the Flexicombs intensity.	1.5III WIGE			21
*See note below table				UU.
Intermediate Rake	FS1270	FS0759	FS1268	ANI
4mm diameter tines. Ideal for regular use on hard porous surfaces,				V V IIII
gravel paths and running tracks.				(1)
Tilth Rake	FS1269	FS0760	FS1266	
5.5mm diameter tines. Ideal for compacted hard porous surfaces,				A K
gravel paths and running tracks.				KUMM
Spring Tine Grooming Rake	FS1148	FS0761	FS0771	CL CE RE
7mm diameter spring tines for grooming and raking. Ideal for standing				E
grasses up to improve presentation and remove thatch, useful for creating a tilth on worn areas. Also suitable for use on hard porous surfaces.				
*See note below table				
Fine Grooming Rake	FS1272	FS1075	FS1076	1 2 E
5mm diameter spring tines for grooming and raking. Ideal for standing				
grasses up to improve presentation and remove thatch, useful for creating a tilth on worn areas. Also suitable for use on hard porous surfaces.				
*See note below table				
	,	F607.5	F60777	
Levelling Lute	n/a	FS0762	FS0772	1
Ideal for levelling and grading hard porous surfaces.				
			FS0773	
Poller	FSDR63	FS() /6 4		
Roller Ideal for light rolling of all surfaces and enhancing presentation	FS0863	FS0763	F30773	
Roller Ideal for light rolling of all surfaces and enhancing presentation. Used on natural grass and hard porous areas.	FS0863	FS0/63	F30773	
Ideal for light rolling of all surfaces and enhancing presentation.	FS0863 n/a	FS0763	FS1109	
Ideal for light rolling of all surfaces and enhancing presentation. Used on natural grass and hard porous areas.				

^{*}Suitable for maintenance of synthetic surfaces - please contact SISIS for a copy of the SISIS synthetic product brochure.

Popular Combinations

QUADRAPLAY + SPIKER SLITTER + FINE GROOMING RAKE + ROLLER + BRUSH



Ideal for:

Football, Hockey, Rugby | Cricket

QUADRAPLAY + FINE GROOMING RAKE + INTERMEDIATE RAKE + GRADER PLATE



Ideal for:

Greyhound Race Tracks

TWINPLAY + ZIG ZAG BRUSH + BRUSH



Ideal for:

Football, Rugby | Golf

TWINPLAY + SPIKER SLITTER + BRUSH



Ideal for:

Football, Rugby | Golf

SINGLEPLAY + SPIKER SLITTER



Ideal for:

Golf